



# HVAC | 2024 US MSRP PRICE BOOK

Effective: March 2024



# TABLE OF CONTENTS

## 3

### FURNACES

- 3 Ultimate Series Two Stage
- 4 Premium Series Two Stage
- 5 Essential Series Two Stage
- 6 Essential Series Single Stage

## 7

### COOLING

- 7 Premium and Essential Series Central Air Conditioners

## 8

### COILS

- 8 Uncased Coil Match Up for Air Conditioners
- 9 Cased Coil Match Up for Air Conditioners
- 11 Coil Only Match Ups for Heat Pumps
- 12 Coil Match Ups for Heat Pumps and Gas Furnaces

## 14

### WINTER AIR CONDITIONER COVERS

## 15

### HEAT PUMPS

- 15 Ultimate Heat Pump Series

## 16

### DUCTLESS

- 16 Essential Cooling Only Series
- 16 Premium Heat Pump Series
- 16 Ultimate Heat Pump Series
- 18 Multi Zone Split Unit

## 19

### THERMOSTATS

- 17 EQHub Smart Thermostat

## 21

### INDOOR AIR QUALITY

## 22

### CONDO PACK

- 20 11.7 SEER2 High-Efficiency Gas
- 22 11.7 SEER2 Mid-Efficiency Gas
- 24 11.7 SEER2 High-Efficiency Electric
- 26 11.7 SEER2 Duct Only
- 27 Static Airflow Rates

Prices listed in US dollars. Napoleon strives for accuracy and the information in this Price Book reflects the information available at the time of publication. Occasionally, product specifications are updated or prices change without notice due to circumstances beyond our control. A correction notice will be issued if inaccuracies occur. The most current version of the Price Book can always be accessed through the dealer portal on [my.napoleon.com](http://my.napoleon.com). Wolf Steel Ltd reserves the right to make changes to prices and products without notice.

24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8

Technical Inquiries  
Email: [hvacsupport@napoleon.com](mailto:hvacsupport@napoleon.com)  
Phone: 1-888-721-8324

Dealer Experience Team (For all PO and Order Inquiries)  
Email: [hvacsales@napoleon.com](mailto:hvacsales@napoleon.com)  
Phone: 1-888-721-7253



# FURNACES

## ULTIMATE SERIES TWO STAGE up to 97% Ultra High-Efficiency Gas Furnace



### FEATURES & BENEFITS

- Up to 97% AFUE
- UV-C Technology Furnace Kit
- WHISPER QUIET™ Operation
- Modular Components
- Variable Speed Motor
- Patented Vortex Technology
- Two-Stage Heating
- Stainless steel primary and secondary heat exchanger
- FlexFit - Upflow, Right, Left
- SureView Burner Window

### FUEL TYPE\*\*

- Natural Gas or Propane

\*Average airflow rate. \*\*Ships as natural gas.



HEAT EXCHANGER



UNIT REPLACEMENT



PARTS

PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WUV035T2AA-N	35,000	24,500	ESP: 0.10" WC- 0.50" WC	517	395	14 X 23	34 x 17.5 x 31	16.25 x 19.625	137	<b>\$3,639</b>
WUV050T3AA-N	52,500	36,750	ESP: 0.12" WC- 0.50" WC	732	576	14 X 23	34 x 17.5 x 31	16.25 x 19.625	142	<b>\$3,939</b>
WUV070T3AA-N	70,000	49,000	ESP: 0.15" WC - 0.50" WC	1,167	905	14 X 23	34 x 17.5 x 31	16.25 x 19.625	149	<b>\$4,170</b>
WUV070T4BA-N	70,000	49,000	ESP: 0.15" WC - 0.50" WC	972	748	14 X 23	34 x 22.5 x 31	21.25 x 19.625	169	<b>\$4,435</b>
WUV090T5BA-N	87,500	61,250	ESP: 0.20" WC- 0.50" WC	1,206	914	14 X 23	34 x 22.5 x 31	21.25 x 19.625	174	<b>\$4,501</b>
WUV105T5BA-N	105,000	73,000	ESP: 0.20" WC- 0.50" WC	1,526	1,156	14 X 23	34 x 22.5 x 31	21.25 x 19.625	187	<b>\$4,684</b>

### OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
NNA-NC1625-A	MERV 11 Media Filter (16 x 25)	<b>\$142</b>
NNA-NC2025-A	MERV 11 Media Filter (20 x 25)	<b>\$158</b>
WSC43BA-KT	EQHub Smart Thermostat	<b>\$353</b>
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	<b>\$67</b>
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	<b>\$67</b>
NT151HCPV	1H/1C 5/2 Day Programmable Thermostat - Vertical	<b>\$83</b>
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	<b>\$94</b>
NT953H2CP	3H/2C 7-Day Programmable Thermostat - 12 sq.in. Touchscreen	<b>\$319</b>
UVB18	18 Watt UV-C Replacement Lamp	<b>\$83</b>
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	<b>\$158</b>
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	<b>\$170</b>
W370-0019	Concentric Vent Kit - 2"	<b>\$175</b>
W370-0020	Concentric Vent Kit - 3"	<b>\$221</b>
W370-0258	Conversion Kit, NG to LP WPV/WUV	<b>\$177</b>
W370-0259	Conversion Kit, LP TO NG WPV/WUV	<b>\$102</b>



# FURNACES

## PREMIUM SERIES TWO STAGE up to 96% High-Efficiency Gas Furnace



### FEATURES & BENEFITS

- Up to 96% AFUE
- WHISPER QUIET<sup>™</sup> Operation
- UV-C Technology Furnace Kit - optional
- Modular Components
- Variable Speed Motor
- Patented Vortex Technology
- Two-Stage Heating
- Energy Star Rated \* Excludes WPV120T5BA-N
- FlexFit - Upflow, Right, Left, Down
- SureView Burner Window

### FUEL TYPE\*\*

- Natural Gas or Propane

\*Average airflow rate. \*\*Ships as natural gas.



HEAT EXCHANGER



PARTS AND UNIT REPLACEMENT



PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WPV035T2AA-N	35,000	24,000	ESP: 0.10" WC - 0.50" WC	517	395	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	126	<b>\$2,558</b>
WPV050T3AA-N	53,000	37,000	ESP: 0.12" WC- 0.50" WC	732	576	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	133	<b>\$2,812</b>
WPV070T3AA-N	70,000	49,000	ESP: 0.15" WC - 0.50" WC	1,167	905	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	140	<b>\$2,922</b>
WPV070T4BA-N	70,000	49,000	ESP: 0.15" WC - 0.50" WC	972	748	14 X 23	34 x 22.5 x 29.5	21.25 x 19.625	158	<b>\$3,082</b>
WPV090T5BA-N	88,000	61,000	ESP: 0.20" WC - 0.50" WC	1,206	914	14 X 23	34 x 22.5 x 29.5	21.25 x 19.625	166	<b>\$3,231</b>
WPV105T5BA-N	105,000	73,000	ESP: 0.20" WC - 0.50" WC	1,526	1,156	14 X 23	34 x 22.5 x 29.5	21.25 x 19.625	170	<b>\$3,317</b>
WPV120T5BA-N	120,000	72,000	ESP: 0.20" WC - 0.50" WC	1,833	1,306	14 X 23	34 x 22.5 x 29.5	21.25 x 19.625	170	<b>\$3,396</b>

### OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
NNA-NC1625-A	MERV 11 Media Filter (16 x 25)	<b>\$142</b>
NNA-NC2025-A	MERV 11 Media Filter (20 x 25)	<b>\$158</b>
WSC43BA-KT	EQHub Smart Thermostat	<b>\$353</b>
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	<b>\$67</b>
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	<b>\$67</b>
NT151HCPV	1H/1C 5/2 Day Programmable Thermostat - Vertical	<b>\$83</b>
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	<b>\$94</b>
NT953H2CP	3H/2C 7-Day Programmable Thermostat - 12 sq.in. Touchscreen	<b>\$319</b>
W010-2785	UV-C Technology - Standard Grade Furnace Kit	<b>\$317</b>
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	<b>\$158</b>
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	<b>\$170</b>
W370-0018	Conversion Kit NG to LP for WPV120T5BA	<b>\$225</b>
W370-0019	Concentric Vent Kit - 2"	<b>\$175</b>
W370-0020	Concentric Vent Kit - 3"	<b>\$221</b>
W370-0031	Conversion Kit, LP to NG, WPV120T5BA	<b>\$70</b>
W370-0258	Conversion Kit, NG to LP WPV/WUV	<b>\$177</b>
W370-0259	Conversion Kit, LP TO NG WPV/WUV	<b>\$102</b>



# FURNACES

## ESSENTIAL SERIES TWO STAGE up to 96% High-Efficiency Gas Furnace



### FEATURES & BENEFITS

- Up to 96% AFUE
- WHISPER QUIET™ Operation
- Modular Components
- Multi Speed Motor
- Patented Vortex Technology
- Two-Stage Heating
- Energy Star Rated
- FlexFit - Upflow, Right
- SureView Burner Window - optional

### FUEL TYPE\*\*

- Natural Gas or Propane



HEAT EXCHANGER



PARTS AND UNIT REPLACEMENT



\*Average airflow rate. \*\*Ships as natural gas.

PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WSX040T2AB-N	40,000	28,000	ESP: 0.10" WC - 0.50" WC	557	341	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	127	\$2,088
WSX060T3AB-N	60,000	42,000	ESP: 0.12" WC - 0.50" WC	922	638	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	131	\$2,198
WSX080T3AB-N	80,000	56,000	ESP: 0.20" WC - 0.50" WC	1,087	669	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	141	\$2,419

### OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
NNA-NC1625-A	MERV 11 Media Filter (16 x 25)	\$142
NNA-NC2025-A	MERV 11 Media Filter (20 x 25)	\$158
WSC43BA-KT	EQHub Smart Thermostat	\$353
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	\$67
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	\$67
NT151HCPV	1H/1C 5/2 Day Programmable Thermostat - Vertical	\$83
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	\$94
NT953H2CP	3H/2C 7-Day Programmable Thermostat - 12 sq.in. Touchscreen	\$319
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	\$158
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	\$170
W370-0018	Conversion Kit NG to LP	\$225
W370-0019	Concentric Vent Kit - 2"	\$175
W370-0020	Concentric Vent Kit - 3"	\$221
W370-0031	Conversion Kit, LP to NG	\$70
WGW17	Glass Wedge Kit - SureView Burner Window	\$105



# FURNACES

## ESSENTIAL SERIES SINGLE STAGE

up to 95% High-Efficiency Gas Furnace



### FEATURES & BENEFITS

- Up to 95% AFUE
- WHISPER QUIET™ Operation
- Modular Components
- Patented Vortex Technology
- Multi-Speed Motor
- Single-Stage Heating
- FlexFit - Upflow, Right, Left, Down

### FUEL TYPE\*\*

- Natural Gas or Propane



HEAT EXCHANGER



PARTS AND UNIT REPLACEMENT

\*Average airflow rate. \*\*Ships as natural gas.

PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WPX030S2AA-N	30,000		ESP: 0.10" WC - 0.50" WC	495		14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	121	<b>\$2,058</b>
WPX040S2AA-N	40,000		ESP: 0.10" WC - 0.50" WC	691		14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	120	<b>\$2,120</b>
WPX060S3AA-N	60,000		ESP: 0.12" WC - 0.50" WC	921		14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	128	<b>\$2,237</b>
WPX080S3AA-N	80,000		ESP: 0.20" WC - 0.50" WC	1,284		14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	134	<b>\$2,325</b>
WPX100S5BA-N	100,000		ESP: 0.20" WC - 0.50" WC	1,581		14 X 23	34 x 22.5 x 29.5	21.25 x 19.625	163	<b>\$2,770</b>

### OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
NNA-NC1625-A	MERV 11 Media Filter (16 x 25)	<b>\$142</b>
NNA-NC2025-A	MERV 11 Media Filter (20 x 25)	<b>\$158</b>
WSC43BA-KT	EQHub Smart Thermostat	<b>\$353</b>
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	<b>\$67</b>
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	<b>\$67</b>
NT151HCPV	1H/1C 5/2 Day Programmable Thermostat - Vertical	<b>\$83</b>
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	<b>\$94</b>
NT953H2CP	3H/2C 7-Day Programmable Thermostat - 12 sq.in. Touchscreen	<b>\$319</b>
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	<b>\$158</b>
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	<b>\$170</b>
W370-0018	Conversion Kit - Natural Gas To Propane	<b>\$177</b>
W370-0019	Concentric Vent Kit - 2"	<b>\$175</b>
W370-0020	Concentric Vent Kit - 3"	<b>\$221</b>
W370-0031	Conversion Kit, LP to NG	<b>\$70</b>



# COOLING

# PREMIUM AND ESSENTIAL SERIES CENTRAL AIR CONDITIONERS



## FEATURES & BENEFITS

- R-410A refrigerant and High-Efficiency Compressor
- Factory Installed Liquid Line Dryer
- Micro-Channel Condenser
- Swept Fan Blades
- Permanently lubricated PSC motor
- Motor assembly is removable from top of unit
- Service valves and refrigerant connections are located outside the cabinet for easy accessibility and servicing
- Electrical connections are accessible through a removable service panel;

### ESSENTIAL SERIES CENTRAL AIR CONDITIONER WITH ROTARY COMPRESSOR

PART ID	TONNAGE	SEER2 (SEER)	MAX. FUSE/BREAKER (A)	COOLING CAPACITY BTU/H	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WTACR0018RA1-N	1.5	13.4 (14)	15	18,600	3/8	3/4	27 x 24 x 24	150	\$1,852
WTACR0024RA1-N	2	13.4 (14)	15	23,200	3/8	3/4	27 x 24 x 24	150	\$1,912
WTACR0030RA1-N	2.5	13.4 (14)	20	28,400	3/8	3/4	27 x 24 x 24	150	\$2,142
WTACR0036RA1-N	3	13.4 (14)	30	33,800	3/8	3/4	27 x 29.5 x 29.5	180	\$2,347

### ESSENTIAL SERIES CENTRAL AIR CONDITIONER WITH SCROLL COMPRESSOR

PART ID	TONNAGE	SEER2 (SEER)	MAX. FUSE/BREAKER (A)	COOLING CAPACITY BTU/H	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WTACS0018RA1-N	1.5	13.4 (14)	20	18,600	3/8	3/4	27 x 24 x 24	150	\$2,058
WTACS0024RA1-N	2	13.4 (14)	25	23,200	3/8	3/4	27 x 24 x 24	150	\$2,185
WTACS0030RA1-N	2.5	13.4 (14.5)	25	28,400	3/8	3/4	27 x 29.5 x 29.5	180	\$2,495
WTACS0036RA1-N	3	13.4 (14)	30	33,600	3/8	3/4	27 x 29.5 x 29.5	180	\$2,642
WTACS0042RA1-N	3.5	13.4 (14)	35	37,600	3/8	7/8	38.875 x 29.5 x 29.5	230	\$3,078
WTACS0048RA1-N	4	13.4 (14)	35	43,500	3/8	7/8	38.875 x 29.5 x 29.5	230	\$3,268
WTACS0060RA1-N	5	13.4 (14)	50	53,000	3/8	7/8	47.875 x 29.5 x 29.5	250	\$3,795

### PREMIUM SERIES CENTRAL AIR CONDITIONER WITH SCROLL COMPRESSOR

PART ID	TONNAGE	SEER2 (SEER)	MAX. FUSE/BREAKER (A)	COOLING CAPACITY BTU/H	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WTBCS0018RA1-N	1.5	14.3 (15)	20	18,900	3/8	3/4	27 x 29.5 x 29.5	180	\$2,352
WTBCS0024RA1-N	2	14.3 (15)	25	23,800	3/8	3/4	27 x 29.5 x 29.5	180	\$2,471
WTBCS0030RA1-N	2.5	14.3 (15)	25	29,200	3/8	3/4	27 x 29.5 x 29.5	180	\$2,792
WTBCS0036RA1-N	3	14.3 (15)	30	35,200	3/8	3/4	38.875 x 29.5 x 29.5	230	\$2,898
WTBCS0042RA1-N	3.5	14.3 (15)	35	41,000	3/8	7/8	38.875 x 29.5 x 29.5	230	\$3,377
WTBCS0048RA1-N	4	13.8 (15)	35	45,000	3/8	7/8	47.875 x 29.5 x 29.5	250	\$3,566
WTBCS0060RA1-N	5	13.8 (14.5)	50	56,000	3/8	7/8	47.875 x 29.5 x 29.5	250	\$4,096

## OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
WSC43BA-KT	EQHub Smart Thermostat	\$353
W370-0231	Hard Start Kit - 1.5, 2 and 2.5 Ton REV C Air Conditioners	\$77
W370-0247	Hard Start Kit - 3 Ton REV C Air Conditioners	\$89

**IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY**  
Products may not be exactly as shown.



# COILS

# UNCASED COIL MATCH UP FOR AIR CONDITIONERS

Recommended for use with  
Essential and Premium Series air conditioners



## NOTE

Napoleon's Essential and Premium Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at [www.ahridirectory.org](http://www.ahridirectory.org). Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	AC MODEL	AHRI #	COOLING CAPACITY BTU	SEER 2	EER 2	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE32936A155A0000AP	WTACR0018RA1-N	210771578	18600	13.40	11.00	15 x 15 1/2 x 19 1/2	28	<b>\$961</b>
HE32936A155A0000AP	WTACR0024RA1-N	210771580	23200	13.40	11.00	15 x 15 1/2 x 19 1/2	28	<b>\$961</b>
HE36936A155A0000AP	WTACR0030RA1-N	210771591	28400	13.40	11.00	15 x 15 1/2 x 19 1/2	28	<b>\$1,408</b>
HE35948A200A0000AP	WTACR0036RA1-N	210771586	33800	13.40	11.00	21 x 20 x 19 1/2	39	<b>\$1,221</b>

COIL	AC MODEL	AHRI #	COOLING CAPACITY BTU	SEER 2	EER 2	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE31930A155A0004AP	WTACS0018RA1-N	211126808	18600	13.40	11.00	13 x 15 1/2 x 19 1/2	24	<b>\$900</b>
HE32936A155A0000AP	WTACS0018RA1-N	211223663	18600	13.40	11.00	15 x 15 1/2 x 19 1/2	28	<b>\$961</b>
HE32936A155A0000AP	WTACS0024RA1-N	211126809	23200	13.40	11.00	15 x 15 1/2 x 19 1/2	28	<b>\$961</b>
HE32936A155A0000AP	WTACS0030RA1-N	211126810	28400	13.40	11.50	15 x 15 1/2 x 19 1/2	28	<b>\$961</b>
HE31930A155A0004AP	WTACS0030RA1-N	211223664	28400	13.40	11.50	13 x 15 1/2 x 19 1/2	24	<b>\$900</b>
HE32936A155A0000AP	WTACS0030RA1-N	211223665	28400	13.40	11.50	15 x 15 1/2 x 19 1/2	28	<b>\$961</b>
HE36936A155A0000AP	WTACS0030RA1-N	211223666	28400	14.00	11.50	15 x 15 1/2 x 19 1/2	28	<b>\$1,408</b>
HE32936A155A0000AP	WTACS0036RA1-N	211126811	33400	13.40	11.00	15 x 15 1/2 x 19 1/2	28	<b>\$961</b>
HE36936A155A0000AP	WTACS0036RA1-N	211223668	33600	13.40	11.50	15 x 15 1/2 x 19 1/2	28	<b>\$1,408</b>
HE35948A200A0000AP	WTACS0042RA1-N	211126956	37600	13.40	11.00	21 x 20 x 19 1/2	39	<b>\$1,221</b>
HE35948A200A0000AP	WTACS0042RA1-N	211223670	37600	13.40	11.00	21 x 20 x 19 1/2	39	<b>\$1,221</b>
HE48960A200A0000AP	WTACS0042RA1-N	211223671	37600	13.40	11.50	27 x 20 x 19 1/2	44	<b>\$1,675</b>
HE48960A200A0000AP	WTACS0048RA1-N	211126812	43500	13.40	11.00	27 x 20 x 19 1/2	44	<b>\$1,675</b>
HE37960A200A0000AP	WTACS0048RA1-N	211223672	43500	13.40	11.00	25 x 20 x 19 1/2	44	<b>\$1,476</b>
HE50960A200A0000AP	WTACS0048RA1-N	211223673	43500	13.40	11.00	27 x 20 x 19 1/2	50	<b>\$1,748</b>
HE37960A200A0000AP	WTACS0048RA1-N	211225529	43500	13.40	11.00	25 x 20 x 19 1/2	44	<b>\$1,476</b>
HE48960A200A0000AP	WTACS0060RA1-N	211126813	53000	13.40	11.00	27 x 20 x 19 1/2	44	<b>\$1,675</b>
HE50960A200A0000AP	WTACS0060RA1-N	211223674	53000	13.40	11.50	27 x 20 x 19 1/2	50	<b>\$1,748</b>

COIL	AC MODEL	AHRI #	COOLING CAPACITY BTU	SEER 2	EER 2	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE31930A155A0004AP	WTBCS0018RA1-N	211274921	18900	14.30	11.50	13 x 15 1/2 x 19 1/2	24	<b>\$900</b>
HE32936A155A0000AP	WTBCS0018RA1-N	211274922	18900	14.50	12.00	15 x 15 1/2 x 19 1/2	28	<b>\$961</b>
HE33936A155A0004AP	WTBCS0018RA1-N	211274923	18900	14.50	12.00	17 x 15 1/2 x 19 1/2	32	<b>\$995</b>
HE32936A155A0000AP	WTBCS0024RA1-N	211274925	23800	14.30	11.50	15 x 15 1/2 x 19 1/2	28	<b>\$961</b>
HE33936A155A0004AP	WTBCS0024RA1-N	211274926	23800	14.50	12.00	17 x 15 1/2 x 19 1/2	32	<b>\$995</b>
HE48960A200A0000AP	WTBCS0030RA1-N	211274928	29000	14.30	11.50	27 x 20 x 19 1/2	44	<b>\$1,675</b>
HE48960A200A0000AP	WTBCS0036RA1-N	211274929	34800	14.30	11.50	27 x 20 x 19 1/2	44	<b>\$1,675</b>
HE48960A200A0000AP	WTBCS0042RA1-N	211274930	41000	14.30	11.50	27 x 20 x 19 1/2	44	<b>\$1,675</b>
HE50960A200A0000AP	WTBCS0042RA1-N	211274931	41000	14.50	12.00	27 x 20 x 19 1/2	50	<b>\$1,748</b>
HE50960A200A0000AP	WTBCS0048RA1-N	211274932	45000	13.80	11.50	27 x 20 x 19 1/2	50	<b>\$1,748</b>
HE50960A200A0000AP	WTBCS0060RA1-N	211274933	56000	13.80	11.50	27 x 20 x 19 1/2	50	<b>\$1,748</b>





# COILS

# CASED COIL MATCH UP FOR AIR CONDITIONERS

Recommended for use with  
Essential and Premium Series air conditioners



## NOTE

Napoleon's Ultimate and Premium Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at [www.ahridirectory.org](http://www.ahridirectory.org). Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	AC MODEL	AHRI #	COOLING CAPACITY BTU	SEER 2	EER 2	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE32936C175B1605AP	WTACR0018RA1-N	210771578	18600	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	46	\$1,250
HE32936C175B1622AP	WTACR0018RA1-N	210771578	18600	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	46	\$1,400
HE32936C175B1605AP	WTACR0024RA1-N	210771580	23200	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	46	\$1,250
HE32936C175B1622AP	WTACR0024RA1-N	210771580	23200	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	46	\$1,400
HE36936C175B2505AP	WTACR0030RA1-N	210771591	28400	13.40	11.00	25 x 17 1/2 x 20 1/2	46	\$1,900
HE36936C175B2522AP	WTACR0030RA1-N	210771591	28400	13.40	11.00	25 x 17 1/2 x 20 1/2	46	\$2,100
HE35936C175B2205AP	WTACR0036RA1-N	210771586	33800	13.40	11.00	22 x 17 1/2 x 20 1/2	46	\$1,650
HE35936C175B2222AP	WTACR0036RA1-N	210771586	33800	13.40	11.00	22 x 17 1/2 x 20 1/2	46	\$1,850

COIL	AC MODEL	AHRI #	COOLING CAPACITY BTU	SEER 2	EER 2	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE31930C175B1605AP	WTACS0018RA1-N	211126808	18600	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	38	\$1,100
HE31930C175B1622AP	WTACS0018RA1-N	211126808	18600	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	38	\$1,300
HE32936C175B1605AP	WTACS0018RA1-N	211223663	18600	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	46	\$1,250
HE32936C175B1622AP	WTACS0018RA1-N	211223663	18600	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	46	\$1,400
HE32936C175B1605AP	WTACS0024RA1-N	211126809	23200	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	46	\$1,250
HE32936C175B1622AP	WTACS0024RA1-N	211126809	23200	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	46	\$1,400
HE32936C175B1605AP	WTACS0030RA1-N	211126810	28400	13.40	11.50	16 1/2 x 17 1/2 x 20 1/2	46	\$1,250
HE32936C175B1622AP	WTACS0030RA1-N	211126810	28400	13.40	11.50	16 1/2 x 17 1/2 x 20 1/2	46	\$1,400
HE31930C175B1605AP	WTACS0030RA1-N	211223664	28400	13.40	11.50	16 1/2 x 17 1/2 x 20 1/2	38	\$1,100
HE31930C175B1622AP	WTACS0030RA1-N	211223664	28400	13.40	11.50	16 1/2 x 17 1/2 x 20 1/2	38	\$1,300
HE32936C175B1605AP	WTACS0030RA1-N	211223665	28400	13.40	11.50	16 1/2 x 17 1/2 x 20 1/2	46	\$1,250
HE32936C175B1622AP	WTACS0030RA1-N	211223665	28400	13.40	11.50	16 1/2 x 17 1/2 x 20 1/2	46	\$1,400
HE36936C175B2505AP	WTACS0030RA1-N	211223666	28400	14.00	11.50	25 x 17 1/2 x 20 1/2	46	\$1,900
HE36936C175B2522AP	WTACS0030RA1-N	211223666	28400	14.00	11.50	25 x 17 1/2 x 20 1/2	46	\$2,100
HE47936C175B3105AP	WTACS0030RA1-N	211223667	28400	14.00	11.50	31 x 17 1/2 x 20 1/2	72	\$2,000
HE32936C175B1605AP	WTACS0036RA1-N	211126811	33400	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	46	\$1,250
HE32936C175B1622AP	WTACS0036RA1-N	211126811	33400	13.40	11.00	16 1/2 x 17 1/2 x 20 1/2	46	\$1,400
HE36936C175B2505AP	WTACS0036RA1-N	211223668	33600	13.40	11.50	25 x 17 1/2 x 20 1/2	46	\$1,900
HE36936C175B2522AP	WTACS0036RA1-N	211223668	33600	13.40	11.50	25 x 17 1/2 x 20 1/2	46	\$2,100
HE47936C175B3105AP	WTACS0036RA1-N	211223669	33600	14.00	11.50	31 x 17 1/2 x 20 1/2	72	\$2,000
HE35948C225B2205AP	WTACS0042RA1-N	211126956	37600	13.40	11.00	22 1/2 x 22 1/2 x 20 1/2	60	\$1,650
HE35948C225B2222AP	WTACS0042RA1-N	211126956	37600	13.40	11.00	22 1/2 x 22 1/2 x 20 1/2	60	\$1,850
HE35948C225B2205AP	WTACS0042RA1-N	211223670	37600	13.40	11.00	22 1/2 x 22 1/2 x 20 1/2	60	\$1,650
HE35948C225B2222AP	WTACS0042RA1-N	211223670	37600	13.40	11.00	22 1/2 x 22 1/2 x 20 1/2	60	\$1,850
HE48960C225B2705AP	WTACS0042RA1-N	211223671	37600	13.40	11.50	27 1/2 x 22 1/2 x 20 1/2	72	\$2,100
HE48960C225B2722AP	WTACS0042RA1-N	211223671	37600	13.40	11.50	27 1/2 x 22 1/2 x 20 1/2	72	\$2,200
HE48960C225B2705AP	WTACS0048RA1-N	211126812	43500	13.40	11.00	27 1/2 x 22 1/2 x 20 1/2	72	\$2,100

\*Cased Coils with suffix 22AP are multi-positional. Coils with suffix 05AP are upflow/downflow only.

**IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY**  
Products may not be exactly as shown.



# COILS

# CASED COIL MATCH UP FOR AIR CONDITIONERS

Recommended for use with  
Essential and Premium Series air conditioners



## NOTE

Napoleon's Ultimate and Premium Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at [www.ahridirectory.org](http://www.ahridirectory.org). Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	AC MODEL	AHRI #	COOLING CAPACITY BTU	SEER 2	EER 2	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE48960C225B2722AP	WTACS0048RA1-N	211126812	43500	13.40	11.00	27 1/2 x 22 1/2 x 20 1/2	72	<b>\$2,200</b>
HE37960C225B2505AP	WTACS0048RA1-N	211223672	43500	13.40	11.00	25 1/2 x 22 1/2 x 20 1/2	65	<b>\$1,950</b>
HE37960C225B2522AP	WTACS0048RA1-N	211223672	43500	13.40	11.00	25 1/2 x 22 1/2 x 20 1/2	65	<b>\$2,100</b>
HE50960C225B2722AP	WTACS0048RA1-N	211223673	43500	13.40	11.00	27 1/2 x 22 1/2 x 20 1/2	72	<b>\$2,350</b>
HE37960C225B2505AP	WTACS0048RA1-N	211225529	43500	13.40	11.00	25 1/2 x 22 1/2 x 20 1/2	65	<b>\$1,950</b>
HE37960C225B2522AP	WTACS0048RA1-N	211225529	43500	13.40	11.00	25 1/2 x 22 1/2 x 20 1/2	65	<b>\$2,100</b>
HE48960C225B2722AP	WTACS0060RA1-N	211126813	53000	13.40	11.00	27 1/2 x 22 1/2 x 20 1/2	72	<b>\$2,200</b>
HE48960C225B2705AP	WTACS0060RA1-N	211126813	53000	13.40	11.00	27 1/2 x 22 1/2 x 20 1/2	72	<b>\$2,100</b>
HE50960C225B2722AP	WTACS0060RA1-N	211223674	53000	13.40	11.50	27 1/2 x 22 1/2 x 20 1/2	72	<b>\$2,350</b>

COIL	AC MODEL	AHRI #	COOLING CAPACITY BTU	SEER 2	EER 2	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE31930C175B1605AP	WTBCS0018RA1-N	211274921	18900	14.30	11.50	16 1/2 x 17 1/2 x 20 1/2	38	<b>\$1,100</b>
HE31930C175B1622AP	WTBCS0018RA1-N	211274921	18900	14.30	11.50	16 1/2 x 17 1/2 x 20 1/2	38	<b>\$1,300</b>
HE32936C175B1605AP	WTBCS0018RA1-N	211274922	18900	14.50	12.00	16 1/2 x 17 1/2 x 20 1/2	46	<b>\$1,250</b>
HE32936C175B1622AP	WTBCS0018RA1-N	211274922	18900	14.50	12.00	16 1/2 x 17 1/2 x 20 1/2	46	<b>\$1,400</b>
HE33936C175B1805AP	WTBCS0018RA1-N	211274923	18900	14.50	12.00	18 1/2 x 17 1/2 x 20 1/2	46	<b>\$1,500</b>
HE33936C175B2022AP	WTBCS0018RA1-N	211274923	18900	14.50	12.00	20 1/2 x 17 1/2 x 20 1/2	46	<b>\$1,800</b>
HE48936C175B2705AP	WTBCS0018RA1-N	211274924	18900	15.00	12.00	27 1/2 x 17 1/2 x 20 1/2	50	<b>\$1,850</b>
HE48936C175B2722AP	WTBCS0018RA1-N	211274924	18900	15.00	12.00	27 1/2 x 17 1/2 x 20 1/2	50	<b>\$2,050</b>
HE32936C175B1605AP	WTBCS0024RA1-N	211274925	23800	14.30	11.50	16 1/2 x 17 1/2 x 20 1/2	46	<b>\$1,250</b>
HE32936C175B1622AP	WTBCS0024RA1-N	211274925	23800	14.30	11.50	16 1/2 x 17 1/2 x 20 1/2	46	<b>\$1,400</b>
HE33936C175B1805AP	WTBCS0024RA1-N	211274926	23800	14.50	12.00	18 1/2 x 17 1/2 x 20 1/2	46	<b>\$1,500</b>
HE33936C175B2022AP	WTBCS0024RA1-N	211274926	23800	14.50	12.00	20 1/2 x 17 1/2 x 20 1/2	46	<b>\$1,800</b>
HE48936C175B2705AP	WTBCS0024RA1-N	211274927	23800	15.00	12.00	27 1/2 x 17 1/2 x 20 1/2	60	<b>\$1,850</b>
HE48936C175B2722AP	WTBCS0024RA1-N	211274927	23800	15.00	12.00	27 1/2 x 17 1/2 x 20 1/2	60	<b>\$2,050</b>
HE48936C175B2705AP	WTBCS0030RA1-N	211274928	29000	14.30	11.50	27 1/2 x 17 1/2 x 20 1/2	60	<b>\$1,850</b>
HE48936C175B2722AP	WTBCS0030RA1-N	211274928	29000	14.30	11.50	27 1/2 x 17 1/2 x 20 1/2	60	<b>\$2,050</b>
HE48936C175B2705AP	WTBCS0036RA1-N	211274929	34800	14.30	11.50	27 1/2 x 17 1/2 x 20 1/2	60	<b>\$1,850</b>
HE48936C175B2722AP	WTBCS0036RA1-N	211274929	34800	14.30	11.50	27 1/2 x 17 1/2 x 20 1/2	60	<b>\$2,050</b>
HE48960C225B2722AP	WTBCS0042RA1-N	211274930	41000	14.30	11.50	27 1/2 x 22 1/2 x 20 1/2	72	<b>\$2,200</b>
HE48960C225B2705AP	WTBCS0042RA1-N	211274930	41000	14.30	11.50	27 1/2 x 22 1/2 x 20 1/2	72	<b>\$2,100</b>
HE50960C225B2722AP	WTBCS0042RA1-N	211274931	41000	14.50	12.00	27 1/2 x 22 1/2 x 20 1/2	72	<b>\$2,350</b>
HE50960C225B2722AP	WTBCS0048RA1-N	211274932	45000	13.80	11.50	27 1/2 x 22 1/2 x 20 1/2	72	<b>\$2,350</b>
HE50960C225B2722AP	WTBCS0060RA1-N	211274933	56000	13.80	11.50	27 1/2 x 22 1/2 x 20 1/2	72	<b>\$2,350</b>

\*Cased Coils with suffix 22AP are multi-positional. Coils with suffix 05AP are upflow/downflow only.

# COILS

## COIL ONLY MATCH UPS FOR HEAT PUMPS

Recommended for use with Ultimate Heat Pump Series



### NOTE

Napoleon's Ultimate Series Heat Pumps are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at [www.ahridirectory.org](http://www.ahridirectory.org). Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	HP MODEL	GAS FURNACE MODEL	AHRI #	SEER 2	EER 2	HSPF2 (REGION IV)	HEATING CAPACITY (BTU)	COOLING CAPACITY (BTU)	PRODUCT DIMENSIONS HXWXD (IN)	WEIGHT (LBS)	MSRP
HG34936A155A000AP	WSEHV2436RA1-N	NA	213153601	15.20	11.00	8.50	22800	22400	19 x 15 1/2 x 19 1/2	28	<b>\$1250</b>
HG34936A155A000AP	WSEHV2436RA1-N	NA	213153602	15.20	9.00	8.50	31600	32400	19 x 15 1/2 x 19 1/2	28	<b>\$1250</b>
HG52960A200A0004AP	WSEHV4860RA1-N	NA	213153603	15.20	10.00	8.50	47000	46000	31 x 20 X 19 1/2	50	<b>\$2225</b>
HG52960A200A0004AP	WSEHV4860RA1-N	NA	213153604	15.20	9.5	8.50	51000	50500	31 x 20 X 19 1/2	50	<b>\$2225</b>

COIL	HP MODEL	GAS FURNACE MODEL	AHRI #	SEER 2	EER 2	HSPF2 (REGION IV)	HEATING CAPACITY (BTU)	COOLING CAPACITY (BTU)	PRODUCT DIMENSIONS HXWXD (IN)	WEIGHT (LBS)	MSRP
HG34936D175B2005AP	WSEHV2436RA1-N	NA	213153601	15.20	11.00	8.50	22800	22400	20 1/2 x 17 1/2 x 21	38	<b>\$1500</b>
HG34936D175B2005AP	WSEHV2436RA1-N	NA	213153601	15.20	11.00	8.50	22800	22400	20 1/2 x 17 1/2 x 21	45	<b>\$1675</b>
HG34936D175B2005AP	WSEHV2436RA1-N	NA	213153602	15.20	9.00	8.50	31600	32400	20 1/2 x 17 1/2 x 21	38	<b>\$1500</b>
HG34936D175B2022AP	WSEHV2436RA1-N	NA	213153602	15.20	9.00	8.50	31600	32400	20 1/2 x 17 1/2 x 21	45	<b>\$1675</b>
HG52960D225D3105AP	WSEHV4860RA1-N	NA	213153603	15.20	10.00	8.50	47000	46000	31 x 22 1/2 x 21	62	<b>\$2425</b>
HG52960D225D3105AP	WSEHV4860RA1-N	NA	213153604	15.20	9.5	8.50	51000	50500	31 x 22 1/2 x 21	62	<b>\$2425</b>

\*Cased Coils with suffix 22AP are multi-positional. Coils with suffix 05AP are upflow/downflow only.

**IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY**  
Products may not be exactly as shown.



# COILS

# COIL MATCH UPS FOR HEAT PUMPS AND GAS FURNACES

Recommended for use with Heat Pumps



## NOTE

Napoleon's Ultimate Series Heat Pumps and Gas Furnaces are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at [www.ahridirectory.org](http://www.ahridirectory.org). Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	HP MODEL	GAS FURNACE MODEL	AHRI #	SEER 2	EER 2	HSPF2 (REGION IV)	HEATING CAPACITY (BTU)	COOLING CAPACITY (BTU)	PRODUCT DIMENSIONS HXWXD (IN)	WEIGHT (LBS)	MSRP
HE33936A155A0004AP	WSEHV2436RA1-N	WPV050T3AA	212404693	17.00	10.00	8.50	25000	22000	17 x 15 1/2 x 19 1/2	32	<b>\$995</b>
HE33936A155A0004AP	WSEHV2436RA1-N	WUV050T3AA	212404695	17.00	10.00	8.50	25000	22000	17 x 15 1/2 x 19 1/2	32	<b>\$995</b>
HE33936A155A0004AP	WSEHV2436RA1-N	WPV070T3AA	212427853	17.00	10.00	8.50	25000	22000	17 x 15 1/2 x 19 1/2	32	<b>\$995</b>
HE33936A155A0004AP	WSEHV2436RA1-N	WUV070T3AA	212427854	17.00	10.00	8.50	25000	22000	17 x 15 1/2 x 19 1/2	32	<b>\$995</b>
HE37960A200A0000AP	WSEHV4860RA1-N	WPV070T4BA	212404701	17.00	10.00	8.50	46000	50000	25 x 20 x 19 1/2	44	<b>\$1,476</b>
HE37960A200A0000AP	WSEHV4860RA1-N	WUV070T4BA	212404702	17.00	10.00	8.50	46000	50000	25 x 20 x 19 1/2	44	<b>\$1,476</b>
HE50960A200A0000AP	WSEHV4860RA1-N	WPV090T5BA	212404677	16.00	10.00	8.50	58000	54000	27 x 20 x 19 1/2	50	<b>\$1,748</b>
HE50960A200A0000AP	WSEHV4860RA1-N	WUV090T5BA	212404678	16.00	10.00	8.50	58000	54000	27 x 20 x 19 1/2	50	<b>\$1,748</b>
HG34936A155A0004AP	WSEHV2436RA1-N	WPV050T3AA	214328312	17.00	10.00	8.50	23400	22000	19 x 15 1/2 x 19 1/2	28	<b>\$1,250</b>
HG34936A155A0004AP	WSEHV2436RA1-N	WPV070T3AA	214328316	17.00	10.00	8.50	23400	22000	19 x 15 1/2 x 19 1/2	28	<b>\$1,250</b>
HG34936A155A0004AP	WSEHV2436RA1-N	WUV050T3AA	214328318	17.00	10.00	8.50	23400	22000	19 x 15 1/2 x 19 1/2	28	<b>\$1,250</b>
HG34936A155A0004AP	WSEHV2436RA1-N	WUV070T3AA	214328322	17.00	10.00	8.50	23400	22000	19 x 15 1/2 x 19 1/2	28	<b>\$1,250</b>

\*Cased Coils with suffix 22AP are multi-positional. Coils with suffix 05AP are upflow/downflow only.

# COIL MATCH UPS FOR HEAT PUMPS AND GAS FURNACES

Recommended for use with Heat Pumps



## NOTE

Napoleon's Ultimate Series Heat Pumps and Gas Furnaces are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at [www.ahridirectory.org](http://www.ahridirectory.org). Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	HP MODEL	GAS FURNACE MODEL	AHRI #	SEER 2	EER 2	HSPF2 (REGION IV)	HEATING CAPACITY (BTU)	COOLING CAPACITY (BTU)	PRODUCT DIMENSIONS HXWXD (IN)	WEIGHT (LBS)	MSRP
HE33936C175B1805AP	WSEHV2436RA1-N	WPV050T3AA	212404693	17.00	10.00	8.50	25000	22000	18 1/2 x 17 1/2 x 20 1/2	46	\$1,500
HE33936C175B2022AP	WSEHV2436RA1-N	WPV050T3AA	212404693	17.00	10.00	8.50	25000	22000	20 1/2 x 17 1/2 x 20 1/2	46	\$1,800
HE33936C175B1805AP	WSEHV2436RA1-N	WUV050T3AA	212404695	17.00	10.00	8.50	25000	22000	18 1/2 x 17 1/2 x 20 1/2	46	\$1,500
HE33936C175B2022AP	WSEHV2436RA1-N	WUV050T3AA	212404695	17.00	10.00	8.50	25000	22000	20 1/2 x 17 1/2 x 20 1/2	46	\$1,800
HE33936C175B1805AP	WSEHV2436RA1-N	WPV070T3AA	212427853	17.00	10.00	8.50	25000	22000	18 1/2 x 17 1/2 x 20 1/2	46	\$1,500
HE33936C175B2022AP	WSEHV2436RA1-N	WPV070T3AA	212427853	17.00	10.00	8.50	25000	22000	20 1/2 x 17 1/2 x 20 1/2	46	\$1,800
HE33936C175B1805AP	WSEHV2436RA1-N	WUV070T3AA	212427854	17.00	10.00	8.50	25000	22000	18 1/2 x 17 1/2 x 20 1/2	46	\$1,500
HE33936C175B2022AP	WSEHV2436RA1-N	WUV070T3AA	212427854	17.00	10.00	8.50	25000	22000	20 1/2 x 17 1/2 x 20 1/2	46	\$1,800
HE37936C175B2505AP	WSEHV2436RA1-N	WPV070T3AA	212603041	17.00	10.00	8.50	36600	38000	25 1/2 x 17 1/2 x 20 1/2	46	\$1,950
HE37936C175B2522AP	WSEHV2436RA1-N	WPV070T3AA	212603041	17.00	10.00	8.50	36600	38000	25 1/2 x 17 1/2 x 20 1/2	46	\$2,100
HE37936C175B2505AP	WSEHV2436RA1-N	WUV070T3AA	212920610	17.00	10.00	8.50	36600	38000	25 1/2 x 17 1/2 x 20 1/2	46	\$1,950
HE37936C175B2522AP	WSEHV2436RA1-N	WUV070T3AA	212920610	17.00	10.00	8.50	36600	38000	25 1/2 x 17 1/2 x 20 1/2	46	\$2,100
HE37960C225B2505AP	WSEHV4860RA1-N	WPV070T4BA	212404701	17.00	10.00	8.50	46000	50000	25 1/2 x 22 1/2 x 20 1/2	65	\$1,950
HE37960C225B2522AP	WSEHV4860RA1-N	WPV070T4BA	212404701	17.00	10.00	8.50	46000	50000	25 1/2 x 22 1/2 x 20 1/2	65	\$2,100
HE37960C225B2505AP	WSEHV4860RA1-N	WUV070T4BA	212404702	17.00	10.00	8.50	46000	50000	25 1/2 x 22 1/2 x 20 1/2	65	\$1,950
HE37960C225B2522AP	WSEHV4860RA1-N	WUV070T4BA	212404702	17.00	10.00	8.50	46000	50000	25 1/2 x 22 1/2 x 20 1/2	65	\$2,100
HE50960C225B2722AP	WSEHV4860RA1-N	WPV090T5BA	212404677	16.00	10.00	8.50	58000	54000	27 1/2 x 22 1/2 x 20 1/2	72	\$2,350
HE50960C225B2722AP	WSEHV4860RA1-N	WUV090T5BA	212404678	16.00	10.00	8.50	58000	54000	27 1/2 x 22 1/2 x 20 1/2	72	\$2,350
HG34936D175B2005AP	WSEHV2436RA1-N	WPV050T3AA	214328312	17.00	10.00	8.50	23400	22000	20 1/2 x 17 1/2 x 21	38	\$1,500
HG34936D175B2022AP	WSEHV2436RA1-N	WPV050T3AA	214328312	17.00	10.00	8.50	23400	22000	20 1/2 x 17 1/2 x 21	45	\$1,675
HG34936D175B2005AP	WSEHV2436RA1-N	WPV070T3AA	214328316	17.00	10.00	8.50	23400	22000	20 1/2 x 17 1/2 x 21	38	\$1,500
HG34936D175B2022AP	WSEHV2436RA1-N	WPV070T3AA	214328316	17.00	10.00	8.50	23400	22000	20 1/2 x 17 1/2 x 21	45	\$1,675
HG34936D175B2005AP	WSEHV2436RA1-N	WUV050T3AA	214328318	17.00	10.00	8.50	23400	22000	20 1/2 x 17 1/2 x 21	38	\$1,500
HG34936D175B2022AP	WSEHV2436RA1-N	WUV050T3AA	214328318	17.00	10.00	8.50	23400	22000	20 1/2 x 17 1/2 x 21	45	\$1,675
HG34936D175B2005AP	WSEHV2436RA1-N	WUV070T3AA	214328322	17.00	10.00	8.50	23400	22000	20 1/2 x 17 1/2 x 21	38	\$1,500
HG34936D175B2022AP	WSEHV2436RA1-N	WUV070T3AA	214328322	17.00	10.00	8.50	23400	22000	20 1/2 x 17 1/2 x 21	45	\$1,675

\*Cased Coils with suffix 22AP are multi-positional. Coils with suffix 05AP are upflow/downflow only.

**IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY**  
Products may not be exactly as shown.





PART ID	COMPATIBLE AIR CONDITIONERS	PRODUCT DIMENSIONS H X W (IN)	PRODUCT NET WEIGHT LBS	MSRP
NCR-2427	WTACR0018RA1-N WTACR0024RA1-N WTACS0018RA1-N WTACS0024RA1-N	27 x 24	1.6	<b>\$75</b>



NCR-2927	WTACS0030RA1-N WTACS0036RA1-N WTBCS0018RA1-N WTBCS0024RA1-N WTBCS0030RA1-N WTBCS0036RA1-N	27 x 29	2.1	<b>\$87</b>
----------	--	---------	-----	-------------



NCR-2939	WTACS0042RA1-N WTACS0048RA1-N WTBCS0042RA1-N	39 x 29	2.7	<b>\$93</b>
----------	--	---------	-----	-------------



NCR-2948	WTACS0060RA1-N WTBCS0060RA1-N WTBCS0048RA1-N	48 x 29	3.3	<b>\$98</b>
----------	--	---------	-----	-------------

# HEAT PUMPS AND AIR HANDLERS HEAT PUMP SERIES



## FEATURES & BENEFITS

- 17 SEER2, 9 HSPF2 IV
- 2 to 5 tons of heating & cooling capacity
- Ideal for more temperate climates, featuring the widest heating and cooling range available in the industry. Napoleon's 2-5 ton heat pump models provide heating for your home when temperatures dip down to -30°C (-22°F) as well as comfortable cooling when temperatures reach 54°C (129.2°). \*See individual units for exact temperature range
- Compatible with any furnace or coil match ups with a controller having 24V communication
- Low vibration design for quiet operation
- NRCAN Greener Homes & BC Betterhomes Certified



ULTIMATE HEAT PUMP SERIES											
PART ID	TONNAGE	SEER2	HSPF2 REGION IV	MAX. FUSE BREAKER (A)	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT LBS	MSRP
WSEHV2436RA1-N	2 ~ 3	17 - 2T 16 - 3T	9 - 2T 9 - 3T	35	24,000 - 36,000	24,000 - 36,000	3 / 8	3 / 4	32.25 x 37 x 18.125	217.2	<b>\$3,708</b>
WSEHV4860RA1-N	4 ~ 5	17 - 4T 16 - 5T	9 - 4T 9 - 5T	45	48,000 - 54,000	48,000 - 54,000	3 / 8	3 / 4	53.375 x 39.375 x 14.5	308.7	<b>\$4,719</b>

## OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
WSC43BA-KT	EQHub Smart Thermostat	<b>\$353</b>



## FEATURES & BENEFITS

- Fully insulated design minimizes indoor noise level
- Removable front panel allows blower and coil assemblies to slide-out for easy serviceability
- Filter rack located at the top of the unit for convenient maintenance and installation
- Electric Heater (optional): 5kW/8kW/10kW/15kW/20kW
- Flex Fit installation options: horizontal left and right, vertical



18 SEER AIR HANDLER					
PART ID	TONNAGE	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
NPFX24A36A	2 ~ 3	48.25 x 21.25 x 21.25	20 x 11.625	156.5	<b>\$2,696</b>
NPFX48A60A	4 ~ 5	57 x 24.75 x 21.25	20 x 11.625	203	<b>\$3,371</b>

## OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
WCPGS1900	Brazed Connection Pipe Sub-assy for refrigerant gas line diameter 19 mm	<b>\$48</b>
WCPLQ0952	Brazed Connection Pipe Sub-assy for refrigerant liquid line diameter 9.52 mm	<b>\$16</b>
WHS5KW	Optional Electric Strip Heater - 5 kW, Compatible to 2T, 3T AHU	<b>\$182</b>
WHS8KW	Optional Electric Strip Heater - 8 kW, Compatible to 2T, 3T AHU	<b>\$246</b>
WHS10KW	Optional Electric Strip Heater - 10 kW, Compatible to 3T, 4T, 5T AHU	<b>\$257</b>
WHS15KW-KT	Optional Electric Strip Heater - 15 kW, Compatible to 3T, 4T, 5T AHU. Comes with Single point entry distribution block	<b>\$760</b>
WHS20KW-KT	Optional Electric Strip Heater - 20 kW, Compatible to 4T and 5T AHU. Comes with Single point entry distribution block	<b>\$825</b>

**IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY**  
Products may not be exactly as shown.



# DUCTLESS

# INVERTER DUCTLESS SPLIT AIR CONDITIONER UNITS



## FEATURES & BENEFITS

- Efficient and contemporary looking indoor units
- Available capacities: 12,000 BTU/h, 18,000 BTU/h, 24,000 BTU/h
- Works even at 50°C (122°F)
- Wi-Fi Capable (NDWC-KT)
- Conveniently adjust the settings on the remote control to: Sleep Mode, LED light, room temperature, turning unit on/off

### ESSENTIAL COOLING ONLY SERIES

PART ID	DESCRIPTION	SEER 2	ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	MSRP
NDCAS21-12	NDCAS21-12 Ductless Air Conditioner - Shipped in 2 PCS. NDCAS21-12-I, NDCAS21-12-O	21	N/A	N/A	11,500	N/A	30	1 / 4	1 / 2	\$1,492
NDCAS21-18	NDCAS21-18 Ductless Air Conditioner - Shipped in 2 PCS. NDCAS21-18-I, NDCAS21-18-O	21	N/A	N/A	17,500	N/A	20	1 / 4	1 / 2	\$2,112
NDCAS21-24	NDCAS21-24 Ductless Air Conditioner - Shipped in 2 PCS. NDCAS21-24-I, NDCAS21-24-O	20	N/A	N/A	22,000	N/A	20	3 / 8	5 / 8	\$2,853



## FEATURES & BENEFITS

- Efficient and contemporary looking indoor units
- Available capacities : 12,000 BTU/h, 18,000 BTU/h, 24,000 BTU/h
- Energy Star rated
- NEEP certified and approved
- All indoor units compatible to Multizone Outdoor unit
- Operating range -25°C (-13°F) to 50°C (122°F)
- Wi-Fi Capable (NDWC-KT)
- Conveniently adjust the settings on the remote control to: Sleep Mode, LED light, room temperature, turning unit on/off

### PREMIUM HEAT PUMP SERIES

PART ID	DESCRIPTION	SEER 2	HSPF 2 ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	MSRP
NDHAS22-12	NDHAS22-12 Ductless Heat Pump - Shipped in 2 PCS. NDHAS22-12-I, NDHAS22-12-O	23.1	10.8	8.0	12,000	12,000	15	1 / 4	1 / 2	\$2,305
NDHAS22-18	NDHAS22-18 Ductless Heat Pump - Shipped in 2 PCS. NDHAS22-18-I, NDHAS22-18-O	24	10.5	7.9	18,000	18,000	30	1 / 4	1 / 2	\$2,990
NDHAS22-24	NDHAS22-24 Ductless Heat Pump - Shipped in 2 PCS. NDHAS22-24-I, NDHAS22-24-O	21	8.5	6.3	24,000	24,000	30	3 / 8	5 / 8	\$3,941







## FEATURES & BENEFITS

- Very high efficiency rating
- New look indoor unit & remote control
- Available capacities : 9,000 BTU/h, 12,000 BTU/h, 18,000 BTU/h, 24,000 BTU/h & 36,000 BTU/h
- Energy Star Rated & NEEP approved up to 24,000 BTU/h capacity
- Operating range -30°C (-22°F) to 50°C (122°F) up to 24,000 BTU/h capacity
- Includes a stylish remote control with intelligent eye. Conveniently adjust settings such as: Sleep Mode, LED light, room temperature, turning unit on/off. Remote will also follow you and your core temperature! Wi-Fi Capable (NDWC-KT)

ULTIMATE HEAT PUMP SERIES										
PART ID	DESCRIPTION	SEER 2	HSPF 2 ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	MSRP
NDHAS26-09	NDHAS26-09 Ductless Heat Pump - Shipped in 2 PCS. NDHAS26-09-I, NDHAS26-09-O	28.1	11.5	9.0	9,000	11,800	15	1 / 4	3 / 8	\$2,595
NDHAS26-12	NDHAS26-12 Ductless Heat Pump - Shipped in 2 PCS. NDHAS26-12-I, NDHAS26-12-O	25.5	10.4	8.0	12,000	12,000	15	1 / 4	1 / 2	\$2,742
NDHAS26-18	NDHAS26-18 Ductless Heat Pump- Shipped in 2 PCS. NDHAS26-18-I, NDHAS26-18-O	21.5	11.3	8.3	18,000	18,000	25	1 / 4	1 / 2	\$3,365
NDHAS26-24	NDHAS26-24 Ductless Heat Pump - Shipped in 2 PCS. NDHAS26-18-I, NDHAS26-18-O	21.5	11.4	9.2	29,000	24,000	35	3 / 8	5 / 8	\$4,785
NDHAS26-36	NDHAS26-36 Ductless Heat Pump- Shipped in 2 PCS. NDHAS26-36-I, NDHAS26-36-O	20	8	6.4	36,000	36,000	35	3 / 8	5 / 8	\$5,478

# DUCTLESS

# MULTI ZONE SPLIT UNIT



## FEATURES & BENEFITS

- Very high efficiency rating
- New look indoor unit & remote control
- Indoor capacities: 9,000 BTU/h, 12,000 BTU/h, 18,000 BTU/h & 24,000 BTU/h
- Energy Star Rated & NEEP approved
- Conveniently adjust settings such as: Sleep Mode, LED light, room temperature, turning unit on/off. Remote will also follow you and your core temperature! Wi-Fi Capable (NDWC-KT)

MULTI ZONE										
PART ID	DESCRIPTION	SEER 2	HSPF 2 ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	MSRP
NDHAM-28-0	Ductless Heat Pump Outdoor, 28,000 BTU	22.6	9.8	10.1	28,000	28,000	40	3 X 1/4	2 x 3/8 + 1 x 1/2	\$3,756
NDHAM-36-0	Ductless Heat Pump Outdoor, 36,000 BTU	20	9.7	11	37,000	36,000	60	4 X 1/4	2 x 3/8 + 2 x 1/2	\$5,175
NDHAS22-09-I	Ductless Heat Pump Indoor, 9,000 BTU	N/A	N/A	N/A	9,000	9,000	N/A	1 / 4	1 / 2	\$745
NDHAS22-12-I	Ductless Heat Pump Indoor, 12,000 BTU	N/A	N/A	N/A	12,000	12,000	N/A	1 / 4	1 / 2	\$761
NDHAS22-18-I	Ductless Heat Pump Indoor, 18,000 BTU	N/A	N/A	N/A	18,000	18,000	N/A	1 / 4	1 / 2	\$976
NDHAS22-24-I	Ductless Heat Pump Indoor, 24,000 BTU	N/A	N/A	N/A	24,000	24,000	N/A	1 / 4	1 / 2	\$1,120



OPTIONAL WIRED CONTROLLER		
PART ID	DESCRIPTION	MSRP
17317100A27895	2-wire controller for all Ductless Heat Pump and Air Conditioner Series. Includes 6 meter, 5-core shield cable and ground cable	\$122

\*Custom orders only. Check with AE for inventory and lead time



## FEATURES & BENEFITS

- Provides customized Hybrid heating between electric and gas, which optimizes the homeowner's HVAC system when using Time of Use rates.
- Hybrid heating modes provide cost and GHG savings, while maintaining a comfortable space. The user can select one of these different modes for different time periods in their daily schedule.
- Supports 2 stage heating and 2 stage cooling – Furnace, Boiler, Air Handler, Heat Pump or Air Conditioner. Supports natural gas, propane, oil, electric, hot water or steam heating.
- Support for dual fuel operation. The system will operate the heat pump until the pre-selected minimum temperature, or the selected maximum heat pump run time is reached. This ensures the heat pump will effectively operate and heat the home during moderate and mild temperatures, without risk of over running the compressor. After reaching the minimum temperature or max run time, the EQHub will switch heating to the alternative equipment.
- Humidifier/Dehumidifier control
- No mobile app subscription fee
- Energy usage and cost savings tracking in app
- Vacation and 24/7 programmable schedules

EQHUB SMART THERMOSTAT			
PART ID	DESCRIPTION	PRODUCT NET WEIGHT (LBS)	MSRP
WSC43BA-KT	Includes Thermostat, 1 Indoor Sensor and 1 Outdoor Sensor	1.45	\$358

## OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	DIMENSIONS (IN)	MSRP
WSC-PWRM	If you do not have a c-wire in the wall, the Power Module can reconfigure your existing wires to power the thermostat without installing new wires throughout your home. The installation manual provides additional wiring information, including the option to use a terminal to combine Y and G, while reserving an extra inwall wire for thermostat power. In typical heat pump and 2-stage furnace installations, you'll need 8 wires.	2.5 x 1.8 x 0.6	\$25
WSC-IS	<b>Indoor Sensor:</b> To balance hot or cold spots throughout the home and achieve the best comfort, you can use the indoor sensor which operates on a radio frequency of 915Mhz. This sensor includes a built-in occupancy sensor and PIR to measure the ambient temperature, and can connect up to 10 sensors. It requires 2 x AAA batteries, which are not included.	2.5 x 2.5 x 0.6	\$48
WSC-OS	<b>Outdoor Sensor:</b> When internet access is limited or intermittent, or when the local weather conditions differ from internet forecasts, the outdoor sensor becomes an excellent tool, operating on a radio frequency of 915Mhz. If the temperature drops below -20C, the thermostat will automatically pull the latest temperature from the Wi-Fi connection. To use the sensor, simply place the temperature probe outside while keeping the main body of the sensor indoors, ensuring that it is within 10 meters of the thermostat. Sensing Range: -30~-46°C/ -22~-115°F. 2 x AAA batteries, not included. Probe wire length 8ft.	2.5 x 2.5 x 0.6	\$48

# THERMOSTATS

# ESSENTIAL AND PROGRAMMABLE THERMOSTATS



PART ID	DESCRIPTION	PRODUCT NET WEIGHT (LBS)	MSRP
NT953H2CP	3H/2C 7-Day Programmable Thermostat - 12 sq.in. Touchscreen	1	\$319



NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	1	\$94
----------	--	---	------



NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	1	\$67
------------	--	---	------




NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	1	\$67
------------	--	---	------



NT151HCPV	1H/1C 5/2 Day Programmable Thermostat - Vertical	1	\$83
-----------	--	---	------





Full Kit



Twin Kit



Furnace Kit

## FEATURES & BENEFITS

- Chemical-Free Sanitization
- Technology from Philips
- Sanitizes molds, germs, bacteria and viruses – Coronaviruses included
- Same technology used in hospitals
- Available in two sanitization strength levels

### MEDICAL GRADE AIR TREATMENT MEDICAL UNITS CONTAIN 60 WATT ULTRA VIOLET LAMP THAT PRODUCES 17 WATT OF UV-C LIGHT

PART ID	DESCRIPTION	WATTAGE	PRODUCT NET WEIGHT LBS	MSRP
UVHFS120WB	UV MOD&LANCE HI OUTPUT 120W SS W/BALLAST	120	10	\$1,030
UVHMS120WB	UV MODULE HI OUTPUT 120W SS W/BALLAST	120	9	\$791
UVHLS060W0	UV LOW OUTPUT ADD ON W/BALLAST	120	9	\$316

### STANDARD GRADE AIR TREATMENT STANDARD GRADE UNITS CONTAIN 18 WATT ULTRA VIOLET LAMP THAT PRODUCES 5 WATT OF UV-C LIGHT

PART ID	DESCRIPTION	WATTAGE	PRODUCT NET WEIGHT LBS	MSRP
UVLFS036WB	UV LANCE HI OUTPUT 60W SS W/O BALLAST	36	10	\$651
UVLMS036WB	UV MODULE LOW OUTPUT 36W SS W/BALLAST	36	9	\$599
UVLAS018WB	UV LOW OUTPUT ADD ON W/BALLAST	120	9	\$316
UVLAS018W0	UV LOW OUTPUT ADD ON W/BALLAST	120	9	\$267
UVLLS018W0	UV MODULE HI OUTPUT 120W SS W/BALLAST	120	9	\$254
W010-2785	UV-C Technology - Standard Grade Furnace Kit	18	1	\$317

### REPLACEMENT ULTRA VIOLET LAMPS

PART ID	DESCRIPTION	WATTAGE	PRODUCT NET WEIGHT LBS	MSRP
UVB18	18 Watt UV-C Replacement Lamp	18	1	\$83
UVB60	60 Watt UV-C Replacement Kit	60	1	\$219

\*Kits need to come with ballast if they are installed with a furnace that does not already have a ballast (i.e. all furnaces except 9700)



## FEATURES & BENEFITS

- Up to 96.8% AFUE / Thermal Efficiency
- Modular Design;  
Architectural Grilles Available - 15 color options available
- Three-piece design allows individual component handling for easy installation and serviceability
- All indoor access to parts and maintenance activities
- Innovative, dual slide out chassis for either heating or cooling components for service
- Both sections can be independently, fully or partially removed for servicing
- With spare modules, building management can do quick swap outs to maintain climate in the apartment/condo while troubleshooting non-functioning units off line
- Designed for direct replacement of the individual modules at the end of their service life instead of the complete appliance
- All control harnesses are separated with modular quick disconnects, so module swap outs do not require time consuming rewiring;



## Wall Sleeves

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	44.875 x 28.875 x 12.59	45	<b>\$370</b>
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	44.875 x 28.875 x 18.89	61	<b>\$571</b>



## Architectural Grilles

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CAGMHA-ML	Architectural Grilles for High Efficiency Gas - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	<b>\$453</b>
CAGMHA-TP	Architectural Grilles for High Efficiency Gas - Painted Standard Taupe	44.875 x 28.875 x 1.265	22.5	<b>\$632</b>
CAGMHA-XX	Architectural Grilles for High Efficiency Gas - Painted Custom Color	44.875 x 28.875 x 1.265	22.5	<b>\$632</b>

## 15,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C15A-F12A-A	96.8%	14,500	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	<b>\$6,900</b>
P-C15A-F18A-A	96.8%	14,500	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$6,979</b>
P-C15A-F24A-A	96.8%	14,500	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$7,056</b>

## 30,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C30A-F12A-A	93.0%	28,000	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	<b>\$6,979</b>
P-C30A-F18A-A	93.0%	28,000	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$7,056</b>
P-C30A-F24A-A	93.0%	28,000	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$7,134</b>

## 40,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C40A-F12A-A	91.7%	37,000	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	<b>\$7,056</b>
P-C40A-F18A-A	91.7%	37,000	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$7,134</b>
P-C40A-F24A-A	91.7%	37,000	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$7,212</b>

## 50,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C50A-F12A-A	90.6%	45,300	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	<b>\$7,134</b>
P-C50A-F18A-A	90.6%	45,300	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$7,212</b>
P-C50A-F24A-A	90.6%	45,300	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$7,289</b>



## FEATURES & BENEFITS

- Modular Design
- Architectural Grilles Available - 15 color options available
- Three-piece design allows individual component handling for easy installation and serviceability
- All indoor access to parts and maintenance activities
- Innovative, dual slide out chassis for either heating or cooling components for service
- Both sections can be independently fully or partially removed for servicing
- With spare modules, building management can do quick swap outs to maintain climate in the apartment/condo while troubleshooting non-functioning units off line
- Designed for direct replacement of the individual modules at the end of their service life instead of the complete appliance
- All control harnesses are separated with modular quick disconnects, so module swap outs do not require time consuming rewiring



## Wall Sleeves

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	44.875 x 28.875 x 12.59	45	<b>\$370</b>
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	44.875 x 28.875 x 18.89	61	<b>\$571</b>



## Architectural Grilles

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	<b>\$426</b>
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	<b>\$593</b>
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	<b>\$593</b>



## 26,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-S26A-F12A-A	80.0%	21,000	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	<b>\$6,281</b>
P-S26A-F18A-A	80.0%	21,000	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$6,358</b>
P-S26A-F24A-A	80.0%	21,000	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$6,435</b>

## 38,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-S38A-F12A-A	80.0%	30,400	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	<b>\$6,281</b>
P-S38A-F18A-A	80.0%	30,400	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$6,358</b>
P-S38A-F24A-A	80.0%	30,400	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	<b>\$6,435</b>

## 51,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-S51A-F12A-A	80.0%	41,000	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	<b>\$6,358</b>





## FEATURES & BENEFITS

- Modular Design
- Both sections can be independently, fully or partially removed for servicing
- Architectural Grilles Available - 15 color options available
- Three piece design allows individual component handling for easy installation and serviceability
- All indoor access to parts and maintenance activities
- Innovative, dual slide out chassis for either heating or cooling components for service
- With spare modules, building management can do quick swap outs to maintain climate in the apartment/condo while troubleshooting non functioning units off line
- Designed for direct replacement of the individual modules at the end of their service life instead of the complete appliance
- All control harnesses are separated with modular quick disconnects, so module swap outs do not require time consuming rewiring



## Wall Sleeves

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	44.875 x 28.875 x 12.59	45	<b>\$370</b>
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	44.875 x 28.875 x 18.89	61	<b>\$571</b>



## Architectural Grilles

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	<b>\$426</b>
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	<b>\$593</b>
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	<b>\$593</b>

## 5 KILOWATT

PART ID	240V/ 208V	KW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E05A-F12A-A	4.8/3.6	4.8/3.6	12,300	24 1/8 X 7 1/8	43.1/8 x 28 x 32	8 x 16	321	<b>\$6,435</b>
P-E05A-F18A-A	4.8/3.6	4.8/3.6	12,300	24 1/8 X 7 1/8	43.1/8 x 28 x 32	8 x 16	331	<b>\$6,514</b>
P-E05A-F24A-A	4.8/3.6	4.8/3.6	12,300	24 1/8 X 7 1/8	43.1/8 x 28 x 32	8 x 16	331	<b>\$6,591</b>

## 7.5 KILOWATT

PART ID	240V/ 208V	KW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E07A-F12A-A	7.3/5.5	7.3/5.5	18,400	24 1/8 X 7 1/8	43.1/8 x 28 x 32	8 x 16	322	<b>\$6,591</b>
P-E07A-F18A-A	7.3/5.5	7.3/5.5	18,400	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	332	<b>\$6,668</b>
P-E07A-F24A-A	7.3/5.5	7.3/5.5	18,400	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	332	<b>\$6,745</b>

## 10 KILOWATT

PART ID	240V/ 208V	KW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E10A-F12A-A	9.6/7.2	9.6/7.2	24,600	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	323	<b>\$6,668</b>
P-E10A-F18A-A	9.6/7.2	9.6/7.2	24,600	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	333	<b>\$6,745</b>
P-E10A-F24A-A	9.6/7.2	9.6/7.2	24,600	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	333	<b>\$6,822</b>

## 15 KILOWATT

PART ID	240V/ 208V	KW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E15A-F12A-A	14.4/10.8	14.4/10.8	36,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	324	<b>\$6,745</b>
P-E15A-F18A-A	14.4/10.8	14.4/10.8	36,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	334	<b>\$6,822</b>
P-E15A-F24A-A	14.4/10.8	14.4/10.8	36,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	334	<b>\$6,900</b>



## 11.7 SEER2 DUCT ONLY

PART ID	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-DNHA-F12A-A	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	309	<b>\$3,846</b>
P-DNHA-F18A-A	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	320	<b>\$4,385</b>
P-DNHA-F24A-A	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	320	<b>\$4,487</b>



## Architectural Grilles

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	<b>\$544</b>
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	<b>\$758</b>
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	<b>\$758</b>

## OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	<b>\$379</b>
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	<b>\$435</b>
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	<b>\$422</b>
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Standard Taupe	<b>\$587</b>
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Custom Color	Request Quote

## HIGH-EFFICIENCY CFM AT EXTERNAL STATIC PRESSURE, INCHES WATER COLUMN

PART ID	HEATING	SETTING	SPEED TAP#	0.1"	0.2"	0.3"	0.4"	0.5"
C15A	15 kBTU/h	FACTORY	5	440	390	330	295	240
		HIGH	4	570	530	495	470	415
C30A	30 kBTU/h	FACTORY	4	770	745	730	705	695
		HIGH	3	770	745	730	705	695
C40A	40 kBTU/h	FACTORY	3	770	745	730	705	695
		HIGH	2	925	910	885	870	840
C50A	50 kBTU/h	FACTORY	2	925	910	885	870	840
		HIGH	N/A	N/A	N/A	N/A	N/A	N/A
A12A	1.0 ton	FACTORY	5	440	390	330	295	240
		HIGH	4	570	530	495	470	415
A18A	1.5 ton	FACTORY	1	645	600	560	530	470
		HIGH	3	770	745	730	705	695
A24A	2.0 ton	FACTORY	1	830	810	780	760	720
		HIGH	2	925	910	885	870	840



## AIRFLOW - 1.0 & 1.5 TON MODELS - SCFM AT EXTERNAL STATIC PRESSURE IN W.C.

HEATING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
S26A	26K	FACTORY	5	430	430	405	330	285
		HIGH	4	565	535	525	490	420
S38A	38K	FACTORY	4	565	535	525	490	420
		HIGH	3	3770	745	730	710	690
S51A	51K	FACTORY	3	770	745	730	710	690
		HIGH	2	930	900	885	865	860
S64A	64K	FACTORY	2	930	900	885	865	860
		HIGH	N/A	N/A	N/A	N/A	N/A	N/A
HEATING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
A12A	1.0 TON	FACTORY	5	430	430	405	330	285
		HIGH	4	565	535	525	490	420
A18A	1.5 TON	FACTORY	1	665	630	620	575	500
		HIGH	3	770	745	730	710	690

## AIRFLOW - 2.0 TON MODELS - SCFM AT EXTERNAL STATIC PRESSURE IN W.C.

HEATING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
S26A	26K	FACTORY	5	455	410	380	330	290
		HIGH	4	555	530	500	475	430
S38A	38K	FACTORY	4	555	530	500	475	430
		HIGH	3	770	755	725	710	675
S51A	51K	FACTORY	3	790	770	740	715	695
		HIGH	2	955	935	910	885	855
S64A	64K	FACTORY	2	955	935	910	885	855
		HIGH	N/A	N/A	N/A	N/A	N/A	N/A
COOLING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
A24A	2.0 TON	FACTORY	1	870	840	820	795	775
		HIGH	2	955	935	910	885	855



# NAPOLEON

## CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



[napoleon.com](http://napoleon.com)

24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8  
103 Miller Drive, Crittenden, Kentucky, USA 41030  
7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

PHONE: 1-888-721-7253  
[hvacsales@napoleon.com](mailto:hvacsales@napoleon.com)

Printed in Canada  
Effective: January 16, 2023 | Revised: June 5, 2023

v24-03-27